
Polky Tech Rider

Last update: March 2024

STAGE PLOT - 6-piece



MONITORS

One monitor per musician (with a separate mix) is required. A soundcheck should take min of 60 min.

INPUT PATCH LIST

СН	Instrument	Mic	Stand	Placement	Notes
	Drums Kit (5pc plus perc)			Centre Stage Back	Drum riser preferred
	Kick	Shure Beta52	Short Boom Stand		
	Snare	SM57	Short Boom Stand		
	OHL	AKG C414 or Shure KSM32	Tall Boom Stand		
	OH R	AKG C414 or Shure KSM32	Tall Boom Stand		
	Aux Perc	EV RE20	Short Boom Stand		
	Bass DI	Radial PZDI	(Own)	Left Stage Back	
	Suka	DPA 4099	Cello Clip (Own)	Right Stage Front	
	Lead singer VOX	Shure SM58	Tall Boom Stand	Centre Stage Front	
	Suka player VOX	Shure SM58	Tall Boom Stand	Right Stage Front	

BACKLINE REQUIREMENTS

- Drum Riser: 8x8 with 12" Legs

- 5pc Drum Kit.

- 20" kick (22" also fine)
- 14" snare
- 12" Tom (10" if 12" not available)
- 16" floor tom (14" if 16" not available)
- *Evans drumheads are preferred

Please provide all necessary hardware, including:

- 3 boom cymbal stands
- Tom mounts and floor tom legs
- Snare stand
- High hat stand *with clutch
- Adjustable throne
- Kick pedal
- Drum rug
- Cymbals: One ride, two crashes, high hats
- *Paiste preferred*, Meinl, Dream, Zildjan, sabían (in order of preference) also acceptable)

-Bass Amp (Mark Bass, Eden, Agilar)

Contact us Immediately if any of these items are not available.

CONTACT INFO

Ewelina Ferenc (Bandleader): Email: ewelina@sweetbeets.ca or phone number: + 647 710 5513

OTHER REQUIREMENTS

- Green room with bathrooms and dressing/changing rooms
- 1 Bottle of water for each musician on stage, plus 12 more in the green room
- Coffee and tea, light snacks